

Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section B intends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012,

http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000final/gmg290000finalpermit2012.pdf) www.epa.gov/region6/water/npdes/genpermit/. Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

Select a NPDES ID *			
GM G290269: Arena Offshore, LP			
Organization Formal Name *			
Arena Offshore, LP			
Organization Noted by Preparer			
Arena Offshore, LP			
Reason for Submission *			
Change operator legal name and address	Add s	structures	Change structure information
O Delete structures	◯ Add I	imit set(s) for an existing permitted feature	O Delete limit set(s) from an existing permitted feature
d Structures			
Non-Sensitive Areas			
Lease Block 1			
Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *	
South Timbalier	35	G03336	

Type *	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	_
Platform	D		+	28.938624	-	90.435036	
Water Depth (in feet)	Built after 0	7/17/2006?*					
54	No						
Chem. Treated Misc.	Discharge (CT)	Cooling Water Intake Stru	ıcture (CW	/) Drilling Fluids and Cutting	s(DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)		Produced Water (PR)		Sanitary & Domestic WW, Drainage (WW)	Deck	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 2							
Type *	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	E		+	28.923128	-	90.432174	
Water Depth (in feet)	Built after 0	7/17/2006?*					
52	No						
Chem. Treated Misc.	Discharge (CT)	Cooling Water Intake Stru	ıcture (CV	/) Drilling Fluidsand Cutting	s (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)		Produced Water (PR)		Sanitary & Domestic WW, Drainage (WW)	Deck	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Lease Block 2							
Lease Area Block Name *		Lease Area Block Number *		Lease Area Block BOEM Num	ber*		
South Timbalier		36		G02624			
Structure 1							
Type *	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	Caisson #2		+	28.945647	_	90.41878	
Water Depth (in feet)	Built after 0	7/17/2006?*					
48	No						
Chem. Treated Misc.	Discharge (CT)	Cooling Water Intake Stru	ıcture (CW	/) Drilling Fluids and Cutting	s(DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)		Produced Water (PR)		Sanitary & Domestic WW, Drainage (WW)	Deck	Stock Base Fluid Drill (SB)	Well Fluids (WF)

Type *	Description		Latitude (in decimal degrees) *	Longitude (in	decimal degrees) *	
Platform	В	+	28.933053	- 90.41334		
Water Depth (in feet)	Built after 0	7/17/2006?*				
57	No					
Chem. Treated Misc.	Discharge (CT)	Cooling Water Intake Structure (CW)	Drilling Fluidsand Cuttings (DI	Hydrate C	Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD))	Produced Water (PR)	Sanitary & Domestic WW, Deck Drainage (WW)	Stock Bas	e Fluid Drill (SB)	Well Fluids (WF)
Lease Block 3						
Lease Area Block Name *		Lease Area Block Number *	Lease Area Block BOEM Number *			
South Timbalier		37	G02625			
Structure 1 Type * Platform Water Depth (in feet) 57 Chem. Treated Misc.	No Discharge (CT)	7/17/2006?* Cooling Water Intake Structure (CW)	Latitude (in decimal degrees) * 28.92849 Drilling Fluids and Cuttings (DI Sanitary & Domestic WW, Deck	- 90.353277	decimal degrees) * Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD) Structure 2)	Produced Water (PR)	Drainage (WW)	Stock Bas	e Fluid Drill (SB)	Well Fluids (WF)
Type *	Description		Latitude (in decimal degrees) *	Longitude (in	decimal degrees) *	
Platform	С	+	28.943412	- 90.335256		
Water Depth (in feet) 52 Chem. Treated Misc.	No	7/17/2006?* Cooling Water Intake Structure (CW)) Drilling Fluidsand Cuttings(DI	-) Hydrate C	Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD))	Produced Water (PR)	Sanitary & Domestic WW, Deck	Stock Bas	se Fluid Drill (SB)	Well Fluids (WF)

Platform + 28.915499	- 90.3468586
Water Depth (in feet) Built after 07/17/2006?*	
62 No	
Chem . Treated Misc. Discharge (CT) Cooling Water Intake Structure (CW) Drilling F	Fluids and Cuttings (DF) Hydrate Control Fluid (HF) Maintenance BMP (WM
	& Domestic WW, Deck (WW) Stock Base Fluid Drill (SB) Well Fluids (WF)
Structure 4	
Type * Description Latitude (in deci	mal degrees) * Longitude (in decimal degrees) *
Platform I + 28.945235	- 90.3659129
Water Depth (in feet) Built after 07/17/2006?* 53 No	
Chem. Treated Misc. Discharge (CT) Cooling Water Intake Structure (CW) Drilling F	Fluids and Cuttings (DF) Hydrate Control Fluid (HF) Maintenance BMP (WM
Misc Discharge (MD) Produced Water (PR) Sanitary Drainage	& Domestic WW, Deck e (WW) Stock Base Fluid Drill (SB) Well Fluids (WF)
Structure 5	
Type * Description Latitude (in deci	mal degrees) * Longitude (in decimal degrees) *
Platform	- 90.3526204
Water Depth (in feet) Built after 07/17/2006?*	
57 No	
	Fluidsand Cuttings (DF) Hydrate Control Fluid (HF) Maintenance BMP (WM
Misc Discharge (MD) Produced Water (PR) Sanitary Drainage	& Domestic WW, Deck e (WW) Stock Base Fluid Drill (SB) Well Fluids (WF)
Lease Block 4	
Lease Area Block Name * Lease Area Block Number * Lease Area	Block BOEM Number *
South Timbalier 38 G09637	

Type *	Description		Lati	itude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	А		+ 28	.936806	-	90.31388	
Water Depth (in feet)	Built after 0	7/17/2006?*					
56	No						
Chem. Treated Misc.	Discharge (CT)	Cooling Water Intake Struct	ture (CW)	Drilling Fluidsand Cutting	s(DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)		Produced Water (PR)		Sanitary & Domestic WW, Drainage (WW)	Deck	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Lease Block 5							
Lease Area Block Name *		Lease Area Block Number *		Lease Area Block BOEM Num	oer*		
South Timbalier		51		G01240			
Structure 1 Type * Platform Water Depth (in feet) 58 Chem. Treated Misc.		Cooling Water Intake Struct	+ 28	itude (in decimal degrees) * .874672 Drilling Fluids and Cutting Sanitary & Domestic WW,		Longitude (in decimal degrees) * 90.496281 Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)		Produced Water (PR)		Drainage (WW)	Jeck	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 2							
Type *	Description			itude (in decimal degrees) *	-	Longitude (in decimal degrees) *	
Platform	CF21		+ 28	i.898662		90.5043248	
Water Depth (in feet) 55	Built after 07	7/17/2006?*					
Chem . Treated Misc.	Discharge (CT)	Cooling Water Intake Struct	ure (CW)	Drilling Fluids and Cutting	s(DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)		Produced Water (PR)		Sanitary & Domestic WW, Drainage (WW)	Deck	Stock Base Fluid Drill (SB)	Well Fluids (WF)

Type *	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	CC		+	28.89774	-	90.476513	
Water Depth (in feet)	Built after 07	/17/2006?*					
60	No						
Chem. Treated Misc. Di	ischarge (CT)	Cooling Water Intake Struc	ture (CW)		•	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)		Produced Water (PR)		Sanitary & Domestic WW, Dec Drainage (WW)	ck	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 4							
Type *	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	CD		+	28.903789	-	90.4806208	
Water Depth (in feet) 57	Built after 07	/17/2006?*					
Chem . Treated Misc. Di	ischarge (CT)	Cooling Water Intake Struc	ture (CW)) Drilling Fluidsand Cuttings([OF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)		Produced Water (PR)		Sanitary & Domestic WW, Dec Drainage (WW)	ck	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 5							
Type *	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	CE		+	28.889079	-	90.491093	
Water Depth (in feet)	Built after 07	/17/2006?*					
60	No						
Chem. Treated Misc. Di	ischarge (CT)	Cooling Water Intake Struc	ture (CW)) Drilling Fluids and Cuttings (OF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)		Produced Water (PR)		Sanitary & Domestic WW, Dec Drainage (WW)	ck	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 6							
Type *	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	CJ		+	28.872933	-	90.4741307	
Water Depth (in feet)	Built after 07	/17/2006?*					
64	No						
Chem. Treated Misc. Di	ischarge (CT)	Cooling Water Intake Struc	ture (CW)			Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)		Produced Water (PR)		Sanitary & Domestic WW, Dec Drainage (WW)	ck	Stock Base Fluid Drill (SB)	Well Fluids (WF)

Type *	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	Caisson #23		+	28.881472	-	90.474249	
Water Depth (in feet)	Built after 07	7/17/2006?*					
Chem. Treated Misc.	Discharge (CT)	Cooling Water Intake Struc	cture (CW)) Drilling Fluids and Cuttings ((DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)	·	Produced Water (PR)		Sanitary & Domestic WW, De Drainage (WW)	ck	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Lease Block 6							
Lease Area Block Name *		Lease Area Block Number *		Lease Area Block BOEM Numbe	er *		
South Timbalier		52		G01241			
Structure 1 Type * Platform Water Depth (in feet) 50 Chem . Treated Misc.	Description WP#3 Built after 07 No Discharge (CT)	7/17/2006?* Cooling Water Intake Struc	+	Latitude (in decimal degrees) * 28.858183 Drilling Fluids and Cuttings (- (DF)	Longitude (in decimal degrees) * 90.495677 Hydrate Control Fluid (HF)	⊠ Maintenance BMP (WM)
Misc Discharge (MD)	•	Produced Water (PR)		Sanitary & Domestic WW, De Drainage (WW)	ck	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 2							
Type *	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	Caisson #20		+	28.858637	-	90.4822112	
Water Depth (in feet) 54	Built after 07	7/17/2006?*					
Chem. Treated Misc.	Discharge (CT)	Cooling Water Intake Struc	cture (CW)) Drilling Fluids and Cuttings ((DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)	ı	Produced Water (PR)		Sanitary & Domestic WW, De Drainage (WW)	ck	Stock Base Fluid Drill (SB)	Well Fluids (WF)

Type * Descrip	tion	L	atitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform Caisso	ו #21	+ :	28.866255	-	90.491531	
Water Depth (in feet) Bui	It after 07/17/2006?*					
61 No						
Chem . Treated Misc. Discharg	e (CT) Cooling Water Intake Stru	cture (CW)	Drilling Fluids and Cuttings (OF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)	Produced Water (PR)		Sanitary & Domestic WW, Dec Drainage (WW)	k	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 4						
Type * Descrip	tion	L	atitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform Caisso	1 #22	+ :	28.858413	-	90.480779	
Water Depth (in feet) Bui	it after 07/17/2006?*					
62 No						
Chem . Treated Misc. Discharg	e (CT) Cooling Water Intake Stru	cture (CW)	Drilling Fluids and Cuttings (OF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)	Produced Water (PR)		Sanitary & Domestic WW, Dec Drainage (WW)	k	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 5						
Type * Descrip	tion	L	atitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform A		+ :	28.867301	-	90.490613	
Water Depth (in feet) Bui	It after 07/17/2006?*					
61 No						
Chem. Treated Misc. Discharg	e (CT) Cooling Water Intake Stru	cture (CW)	Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)	Produced Water (PR)		Sanitary & Domestic WW, Dec Drainage (WW)	k	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 6						
Type * Descrip	tion	L	atitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform B-QTR		+ :	28.866929	-	90.491206	
Water Depth (in feet) Bui	It after 07/17/2006?*					
61 No						
Chem . Treated Misc. Discharg	e (CT) Cooling Water Intake Stru	cture (CW)	Drilling Fluidsand Cuttings (OF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)	Produced Water (PR)		Sanitary & Domestic WW, Dec Drainage (WW)	ck	Stock Base Fluid Drill (SB)	Well Fluids (WF)

Type *	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	С		+	28.867854	-	90.490958	
Water Depth (in feet)	Built after 0	7/17/2006?*					
61	No						
Chem. Treated Misc.	. Discharge (CT)	Cooling Water Intake Struc	cture (CW	V) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD))	Produced Water (PR)		Sanitary & Domestic WW, Deck Drainage (WW)		Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 8							
Type *	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	CA		+	28.866176	-	90.489998	
Water Depth (in feet)	Built after 0	7/17/2006?*					
61	No						
Chem. Treated Misc.	. Discharge (CT)	Cooling Water Intake Struc	cture (CW	V) Drilling Fluidsand Cuttings(DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD)	Produced Water (PR)		Sanitary & Domestic WW, Deck Drainage (WW)		Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 9							
Type *	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	СВ		+	28.848007	-	90.490462	
Water Depth (in feet)	Built after 0	7/17/2006?*					
60	No						
Chem. Treated Misc.	. Discharge (CT)	Cooling Water Intake Struc	cture (CW	V) Drilling Fluidsand Cuttings(DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD))	Produced Water (PR)		Sanitary & Domestic WW, Deck Drainage (WW)		Stock Base Fluid Drill (SB)	Well Fluids (WF)
Structure 10							
Type *	Description			Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	CK		+	28.858448	-	90.4807416	
Water Depth (in feet)	Built after 0	7/17/2006?* Design Intake	Capacity	(million gallons per day) * Design	Intake	Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
62	Yes	0		0			0
Chem. Treated Misc.	Discharge (CT)	Cooling Water Intake Struc	cture (CV	V) Drilling Fluidsand Cuttings(DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Misc Discharge (MD))	Produced Water (PR)		Sanitary & Domestic WW, Deck Drainage (WW)		Stock Base Fluid Drill (SB)	Well Fluids (WF)

Sensitive Areas

Certification Information

Ex. 6 P	ersonal	Privacy	(PP)
----------------	---------	----------------	------

Form Action *	
Approve	

Digital Signature Acknowledgement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. 40 CFR 122.22(d)